
#### **VERSION 1.0**

## ARTICLE.

## **Assembly Instructions**



# **ENVELO**

Sideboard

ARTICLE. ENVELO Sideboard Page 2 of 4

#### **ASSEMBLY INSTRUCTIONS**

Read these instructions carefully and keep for future reference. Refer to parts inventory for guidance, and ensure you have all pieces before starting.

When assembling, place all parts on a soft, clean, and flat surface such as a carpet to prevent scratches.

If you're having difficulty, our friendly Customer Care team is always here to help. Call us at **1.888.746.3455** during business hours, email **service@article.com** or chat live at **article.com**.







TIME


# OF PEOPLE

DIFFICULTY





PARTS INVENTORY				
ID	DESCRIPTION		QTY	
A	LEGS		4	
В	LEFT SHELF		1	
C	RIGHT SHELF		1	
D	M6 WASHER		16	
<b>B</b>	M6 LOCK WASHER		16	
<b>6</b>	M6 × 20MM BOLT		16	
G	ALLEN KEY		1	
<b>(1)</b>	SHELF PIN		8	












(3





### ANTI-TIP RESTRAINT INSTALLATION



### **WARNING!**


Serious or fatal crushing injuries can occur from furniture tip-over. To help prevent tip-over:

- Install tip-over restraint provided.
- Do not set heavy objects on top of this product, unless the product is specifically designed to accommodate them.
- Never allow children to climb or hang on mirrors, shelves, consoles, or cabinets with doors and/or drawers.

Use of tip-over restraints may only reduce but not eliminate, the risk of tip-over.








REQUIRED TOOL 8MM / 5/16" DRILL BIT

**REQUIRED TOOL** 

PARTS INVENTORY				
ID	DESCRIPTION		QTY	
A	BRACKET		4	
B	M4 × 20MM SCREW	gam.	4	
G	M8 × 51MM PLUG		4	
D	M6 × 70MM SCREW	&mm.	4	
•	STRAP		2	

Œ


Hardware (C/D) to attach brackets to wall is designed for drywall. To attach this unit to another type of wall, consult with your local hardware store.



Attach pair of brackets to top corners of the back of the unit.


Mark on wall where second pair of brackets should be placed.






Drill holes in wall using 8mm / 5/16" drill bit.









Pull strap down until it snap-locks.