


ARTICLE.

VERSION 1.0

Assembly Instructions



ALZEY


Lounge Chair

ASSEMBLY INSTRUCTIONS

Read these instructions carefully and keep for future reference. Refer to parts inventory for guidance, and ensure you have all pieces before starting.

When assembling, place all parts on a soft, clean, and flat surface such as a carpet to prevent scratches.


If you’re having difficulty, our friendly Customer Care team is always here to help. Call us at **1.888.746.3455** during business hours, email **service@article.com** or chat live at **article.com**.






TIME





OF PEOPLE




DIFFICULTY

PARTS LIST		
ID	DESCRIPTION	QTY
A	LEG	4
B	ALLEN KEY 	1
C	BOLT 	8
D	WASHER 	8
E	SLIPCOVER (PRE-INSTALLED)	1
F	SEAT CUSHION COVER (PRE-INSTALLED)	1
G	BACK CUSHION COVER (PRE-INSTALLED)	1

1




1 — INSTALLING SLIPCOVER




! First align slipcover (E) seams with the back of the armrest, followed by the front. Do this on both left and right armrests.

2




! Pull sides of slipcover (E) down and secure to the velcro on the inside of either armrest, smoothing the fabric as you go.

3




Secure slipcover (E) to the velcro on the inside of the back of the chair, smoothing the fabric as you go.

4



Ensure that the slipcover fabric is pulled down around all outer sides of the chair.

5



Pull slipcover (E) up and over the front of the chair and secure velcro approx 3" from the front edge, smoothing the fabric as you go.

6



Slip on seat cushion cover (F), as well as back cushion cover (G).

