


ARTICLE.

VERSION 1.0

Assembly Instructions



ALMELO


Headboard

ASSEMBLY INSTRUCTIONS


Read these instructions carefully and keep for future reference. Refer to parts inventory for guidance, and ensure you have all pieces before starting.

When assembling, place all parts on a soft, clean, and flat surface such as a carpet to prevent scratches.


If you're having difficulty, our friendly Customer Care team is always here to help. Call us at **1.888.746.3455** during business hours, email **service@article.com** or chat live at **article.com**.






TIME






OF PEOPLE



DIFFICULTY




REQUIRED TOOLS



PARTS INVENTORY		
ID	DESCRIPTION	QTY
A	SIDE TABLE	2
B	CLEAT (1 EXTRA FOR KING SIZE)	2 (+1)
C	M6 × 30MM BOLT 	8
D	ALLEN KEY 	1
E	M4 × 60MM SCREW (2 EXTRA FOR KING SIZE) 	4 (+2)

! Screws (E) to attach cleat (B) to wall are designed for wood studs. To attach this headboard to another type of wall, consult with your local hardware store.

1




! Bracket is longer on top side of side table (A).



2

QUEEN SIZE





Locate wood wall studs and mark screw placement on wall 16" apart where cleats (B) should be mounted.

Use a level to ensure that the cleats are level with the floor. Drill holes into wood wall studs.

! Headboard should be resting on the floor.


3

QUEEN SIZE



2

KING SIZE





Locate wood wall studs and mark screw placement on wall 16" apart where cleats (B) should be mounted.

Use a level to ensure that the cleats are level with the floor. Drill holes into wood wall studs.

! Headboard should be resting on the floor.

3

KING SIZE



4

