


# ARTICLE.

VERSION 1.1

## Assembly Instructions



# LENIA


Floating Nightstand

ASSEMBLY INSTRUCTIONS

Read these instructions carefully and keep for future reference. Refer to parts inventory for guidance, and ensure you have all pieces before starting.


When assembling, place all parts on a soft, clean, and flat surface such as a carpet to prevent scratches.

If you’re having difficulty, our friendly Customer Care team is always here to help. Call us at **1.888.746.3455** during business hours, email **service@article.com** or chat live at **article.com**.




30 min

TIME




3





DIFFICULTY



# OF PEOPLE





REQUIRED TOOL  
13MM / 1/2" DRILL BIT

| PARTS INVENTORY |  |     |
|-----------------|--|-----|
| ID              | DESCRIPTION  | QTY |
| A               | NIGHTSTAND   | 1   |
| B               | DRILL TEMPLATE   | 1   |
| C               | SNAPTOGGLE      | 5   |
| D               | WALL BRACKET   | 1   |
| E               | ALLEN KEY       | 1   |
| F               | M6 × 45MM BOLT  | 2   |
| G               | M6 × 65MM BOLT  | 3   |

! Hardware (C) to attach bracket to wall is designed for drywall. To attach this unit to another type of wall, consult with your local hardware store.



1

- ! First remove drawer from nightstand (A). Unlock drawer mechanism by pulling black peg out.





2

- ! Using the drill template (B) and a level, mark hole placement on wall and drill holes (13mm / 1/2" diameter).





## 3A

- ! Ensure that the plug on each snaptoggle (C) is close to the end before inserting into the wall.




## 3B

- ! Snaptoggle (C) should be orientated as shown. Push plugs down to sit flush with the wall, and snap off straps at base.




4





5A


! Slot nightstand (A) onto wall bracket (D).



5B



6




# SOFT CLOSING DRAWERS – LENIA / NERA


## ADJUSTMENT INSTRUCTIONS

### FIX A CROOKED DRAWER

---




! Adjust levers on either side of drawer as needed to straighten drawer.




If you're having difficulty, our friendly Customer Care team is always here to help. Call us at **1.888.746.3455** during business hours, email [service@article.com](mailto:service@article.com) or chat live at [article.com](https://article.com).

REMOVE DRAWER

1



2




ARTICLE.




INSTALL DRAWER

1



2



ARTICLE.