
## ARTICLE.

## **Assembly Instructions**



LISSOM


Multi-Bulb Floor Lamp

## **ASSEMBLY INSTRUCTIONS**

Read these instructions carefully and keep for future reference. Refer to parts inventory for guidance, and ensure you have all pieces before starting.


When assembling, place all parts on a soft, clean, and flat surface such as a carpet to prevent scratches.

If you're having difficulty, our friendly Customer Care team is always here to help. Call us at **1.888.746.3455** during business hours, email **service@article.com** or chat live at **article.com**.



	PARTS INVENTORY	,	
ID	DESCRIPTION		QTY
A	LAMP TOP SEGMENT		1
В	FRONT ROD LOWER SEGMEN	Г	2
G	BACK ROD LOWER SEGMENT		1
D	BASE		1
•	2MM ALLEN KEY		1
•	SET SCREW (2 PIECES PRE-INSTALLED + 1 SPARE)		2 + 1
G	FLAT WASHER		1

PARTS INVENTORY CONT.			
ID	DESCRIPTION		QTY
•	SCREW		3
0	4MM ALLEN KEY		1
0	WAVE WASHER		1
K	FLAT WASHER	0	1
0	LOCK WASHER		1
M	SCREW NUT		1
N	SOCKET WRENCH		1
0	BULB (E26 4W LED A19)		3



- Unscrew set screws (F) from back rod of lower segment (C) before attaching lamp top segment (A).
- Align notch on lamp top segment (A) with holes on back rod of lower segment (C) and attach with set screws (F).

