


ARTICLE.

VERSION 1.1

Assembly Instructions



LEVEL


43" Bench

ASSEMBLY INSTRUCTIONS

Read these instructions carefully and keep for future reference. Refer to parts inventory for guidance, and ensure you have all pieces before starting.

When assembling, place all parts on a soft, clean, and flat surface such as a carpet to prevent scratches.


If you're having difficulty, our friendly Customer Care team is always here to help. Call us at **1.888.746.3455** during business hours, email **service@article.com** or chat live at **article.com**.









TIME



OF PEOPLE





DIFFICULTY

PARTS INVENTORY		
ID	DESCRIPTION	QTY
A	SEAT FRAME 	1
B	BACK LEG 	1
C	LEG 1 	1
D	LEG 2 	1
E	ALLEN KEY 	1
F	BOLT 	6

! NOTE : Keep allen key for bolt tightening in the future.

1

Detach 4 metal bolts (F) from metal and upholstered seat frame (A) by using the allen key (E). Keep 4 metal bolts for next assembly steps.






2


Attach back leg (B) to seat frame (A) with two metal bolts by using the allen key.

! Align the metal frames before fully tightening all the metal bolts.



! Do not fully tighten all metal bolts until they are in place.



3



Attach leg (B), (C) and (D) to seat frame (A) with bolts (F). Make sure to align the metal frames before tightening.



! Adjust levelers as needed.