


# ARTICLE.

VERSION 1

## Assembly Instructions




**MENKEN**  
Pendant

ASSEMBLY INSTRUCTIONS


Read these instructions carefully and keep for future reference. Refer to parts inventory for guidance, and ensure you have all pieces before starting.

When assembling, place all parts on a soft, clean, and flat surface such as a carpet to prevent scratches.


If you're having difficulty, our friendly Customer Care team is always here to help. Call us at 1.888.746.3455 during business hours, email [service@article.com](mailto:service@article.com) or chat live at [article.com](https://www.article.com).




Consultation with a professional electrician is recommended for the installation of this pendant.




TIME











DIFFICULTY



# OF PEOPLE




REQUIRED TOOL

PARTS INVENTORY		
ID	DESCRIPTION	QTY
A	LAMP BODY 	1
B	MOUNTING BRACKET IRON ROUND (PRE-INSTALLED) 	1
C	SHORT GREEN SCREW 8/32x8mm (PRE-INSTALLED) 	1
D	KNOB MOUNTING BRACKET IRON ROUND 	2
E	MOUNTING SCREWS 8/32x25mm 	2
F	WIRE NUT 	3
G	BULBS E12 	1
H	GLASS SHADE 	1


1

Remove Knob mounting bracket

**CAUTION**  
Turn off power at main circuit pannel  
before starting installation.




2



! Thread wires through mounting bracket iron round (B)  
before attaching to junction box.


3

- ! Match up wires by color and attach with wire nuts (F).  
BLACK: Hot Fixture  
WHITE: Neutral Fixture  
GREEN OR BARE COPPER: Ground Wire




- ! If junction box does not have a green ground wire, attach ground wire from lamp to short green screw (C) on mounting bracket.

4




- ! Rotate Knob(D) away arrow. Make sure to screw tightly.

5




6

- ! Rotate the Shade(H) in the direction of away arrow, do not over tighten to have more easy removal



7

! To remove the glass,  
hold the cap and tube while removing the glass shade.



8

---

