

ARTICLE.

VERSION 1.0

Assembly Instructions



ODIE


Cafe Table

ASSEMBLY INSTRUCTIONS

Read these instructions carefully and keep for future reference. Refer to parts inventory for guidance, and ensure you have all pieces before starting.

When assembling, place all parts on a soft, clean, and flat surface such as a carpet to prevent scratches.


If you're having difficulty, our friendly Customer Care team is always here to help. Call us at **1.888.746.3455** during business hours, email service@article.com or chat live at article.com





TIME




OF PEOPLE




DIFFICULTY

PARTS INVENTORY		
ID	DESCRIPTION	QTY
A	TABLE TOP	 1
B	CENTRAL LEG	 1
G	SIDE LEG	 2
G	ROUND METAL PLATE	 1
E	CROSS METAL BRACKET	 1
G	6 x 20MM NON-COUNTERSUNK BOLT	 8
G	6 x 20MM COUNTERSUNK BOLT	 13
G	FLAT WASHER	 8
G	LOCK WASHER	 8
G	ALLEN KEY	 1



1



2





! Tighten all bolts 100%

3**!** Tighten all bolts 100%

4



For aesthetics, ensure the grain on the top and 1 side of the leg is aligned in the same direction before tightening the bolts.




Align arrow stickers on the metal plate and the table top!



Please ensure to put components on a flat and soft surface such as a cardboard or a rug.



Tighten all bolts 100%

5

! Adjust leveler as needed



! Tighten all bolts 100%

IMPORTANT !

It is important that all bolts are re-tightened 2 weeks after assembly and once every 2 months in order to assure stability through-out the lifespan of this product.