


# ARTICLE.

VERSION 1

## Assembly Instructions



# AINO

Small Pendant Lamp

ASSEMBLY INSTRUCTIONS


Read these instructions carefully and keep for future reference. Refer to parts inventory for guidance, and ensure you have all pieces before starting.

When assembling, place all parts on a soft, clean, and flat surface such as a carpet to prevent scratches.


If you’re having diculty, our friendly Customer Care team is always here to help. Call us at **1.888.746.3455** during business hours, email **service@article.com** or chat live at **article.com**.




Consultation with a professional electrician is recommended for the installation of this pendant lamp.




TIME



DIFFICULTY



# OF PEOPLE




REQUIRED TOOL

| PARTS INVENTORY |                                                   |  |     |
|-----------------|---------------------------------------------------|--|-----|
| ID              | DESCRIPTION                                       |  | QTY |
| A               | MOUNTING BRACKET<br>IRON ROUND<br>(PRE-INSTALLED) |  | 1   |
| B               | SHORT GREEN SCREW 8/32x8mm<br>(PRE-INSTALLED)     |  | 1   |
| C               | MOUNTING SCREWS<br>8/32x25mm                      |  | 2   |
| D               | WIRE NUT                                          |  | 3   |
| E               | LAMP BODY                                         |  | 1   |
| F               | SIDE SCREWS 8/32x20mm<br>(PRE-INSTALLED)          |  | 2   |
| G               | BULBS E12                                         |  | 1   |


1

**CAUTION**  
Turn off power at main circuit pannel  
before starting installation.




! Remove 2 Screws(F) on  
canopy(E)

2



! Change length cord by pull  
cover fabric cord.


3



! Thread wires through mounting bracket iron round (A) before attaching to junction box.

4

- ! Match up wires by color and attach with wire nuts (D).  
BLACK: Hot Fixture  
WHITE: Neutral Fixture  
GREEN OR BARE COPPER: Ground Wire



! If junction box does not have a green ground wire, attach ground wire from lamp to short green screw (B) on mounting bracket.

5

