
## **VERSION 1.0**

## ARTICLE.

## **Assembly Instructions**



**FIORE** 

Side Table


ARTICLE. FIORE Side Table Page 2 of 5

## **ASSEMBLY INSTRUCTIONS**


Read these instructions carefully and keep for future reference. Refer to parts inventory for guidance, and ensure you have all pieces before starting.

When assembling, place all parts on a soft, clean, and flat surface such as a carpet to prevent scratches.

If you're having difficulty, our friendly Customer Care team is always here to help. Call us at **1.888.746.3455** during business hours, email **service@article.com** or chat live at **article.com**.




PARTS INVENTORY			
ID	DESCRIPTION		QTY
A	ТОР		1
В	BASE	··	1
G	POST		1
D	FELT PAD	0	1
•	STEEL BRACKET		3
<b>6</b>	M8 × 40MM BOLT		3
G	M8 × 15MM BOLT		6
•	ALLEN KEY		1




Por aesthetics, ensure the grain on the top and bottom plate is aligned in the same direction before tightening the bolts.





2




(3

Peel off the seal to paste the felt (D) into the bottom (B)

Place all parts on a soft, clean, and flat surface such as a carpet to prevent scratches.

For aesthetics, ensure the grain on the top and bottom plate is aligned in the same direction before tightening the bolts.



4

It is important that all bolts are re-tightened 2 weeks after assembly and once every 2 months in order to assure stability through-out the lifespan of this product.

