


ARTICLE.

VERSION 3

Assembly Instructions




Shelly Narrow Shelf

ASSEMBLY INSTRUCTIONS

Read these instructions carefully and keep for future reference. Refer to parts inventory for guidance, and ensure you have all pieces before starting.

When assembling, place all parts on a soft, clean, and flat surface such as a carpet to prevent scratches.


If you’re having difficulty, our friendly Customer Care team is always here to help. Call us at **1.888.746.3455** during business hours, email **service@article.com** or chat live at **article.com**.






TIME



OF PEOPLE




DIFFICULTY



REQUIRED TOOL

PARTS INVENTORY		
ID	DESCRIPTION	QTY
1	Shelly Narrow Shelf	1


HARDWARE LIST		
ID	DESCRIPTION	QTY
A	PLASTIC WALL ANCHOR M8 x 40 MM	2
B	M5 x 40MM SCREW	2
C	PAPER JIG	1



Attention : Maximum load on this shelf is 44 lbs

1


Use a paper jig and water level to mark the spots for drilling holes on the wall.
Distance between the holes is around 37cm (Measure the hole distance to be more precise)




2





Drill hole into wall, insert anchor (A) and attach screw (B) to wall.

**HOLE**

Drill hole in wall with
drill bit 8mm

**ANCHOR**

! Note for this step use a hammer
to insert anchor (A) to wall.

**SCREW M5x40mm**

3

- ! Hang the shelf on the wall. Ensure that shelf can not slide left or right.

