


ARTICLE.

VERSION 1.0

Assembly Instructions



Holme


Kitchen Island

ASSEMBLY INSTRUCTIONS

Read these instructions carefully and keep for future reference. Refer to parts inventory for guidance, and ensure you have all pieces before starting.

When assembling, place all parts on a soft, clean, and flat surface such as a carpet to prevent scratches.


If you’re having difficulty, our friendly Customer Care team is always here to help. Call us at **1.888.746.3455** during business hours, email **service@article.com** or chat live at **article.com**.



TIME




OF PEOPLE




DIFFICULTY

PARTS INVENTORY		
ID	DESCRIPTION	QTY
A	TABLE TOP	1
B	RIGHT LEG FRAME	1
C	LEFT LEG FRAME	1
D	TOP FRAME WITH DRAWERS	1
E	BOTTOM SHELVES	2




HARDWARE LIST		
ID	DESCRIPTION	QTY
F	LONG ALLEN KEY 	1
G	SHORT ALLEN KEY 	1
H	M6 x 25 BOLT 	2
I	M6 x 40 BOLT 	28
J	M6 LOCK WASHER 	30
K	M6 FLAT WASHER 	20
L	M6 CRESCENT WASHER 	10

i




1

- ! Please ensure to put components on a flat and soft surface such as a cardboard or a rug.




- ! Align the front drawer flush with the front leg before tighten the bolts



2




! Tighten the bolts 80%




3



! Pull the drawers out to attach bolts at side panels.



! Align the front drawer flush with the front leg before tightening the bolts





! Tighten the bolts 100%

4

**CAUTION**


The quartz top is VERY heavy.
Ensure 2 drawers are pulled out and 2 people hold the top as shown in the below illustration in order to avoid finger pinch.



Positioning top (A) onto leg frames (B) and (C) by aligning the tenon into the slots at 2 ends.




Tighten the bolts 100%




Pull the drawers out to secure the top (A) onto the frame (D) with bolts.

5




6





7

- ⚠ Only open this sealing sheet when the table top is at proper position.



8






- ⚠ Adjust leveler as needed.




FIX A CROOKED DRAWER






During shipping, the drawers of kitchen island may have shifted slightly. This can easily be corrected adjusting the drawer glides on the affected drawer.



ADJUST THE DRAWER FRONTS MOVING UP



! Lock the glides after adjustment.

ADJUST THE DRAWER FRONTS MOVING DOWN

! Lock the glides after adjustment.