


ARTICLE.

VERSION 1.0

Assembly Instructions




LENIA
Twin Daybed With Trundle

ASSEMBLY INSTRUCTIONS

Read these instructions carefully and keep for future reference. Refer to parts inventory for guidance, and ensure you have all pieces before starting.

When assembling, place all parts on a soft, clean, and flat surface such as a carpet to prevent scratches.


If you're having difficulty, our friendly Customer Care team is always here to help. Call us at **1.888.746.3455** during business hours, email service@article.com or chat live at article.com.



TIME



OF PEOPLE



DIFFICULTY





Hardware may loosen over time
Tighten periodically for safety

PARTS INVENTORY		
ID	DESCRIPTION	QTY
A	DAYBED'S LEFT SIDE PANEL	1
B	DAYBED'S SIDE PANEL TOP RAILS	2
C	DAYBED'S RIGHT SIDE PANEL	1
D	DAYBED'S BACK PANEL	1
E	DAYBED'S FRONT PANEL	1
F	DAYBED SLATS	1
G	DAYBED METAL BRACKETS	4
H	TRUNDLE'S FRONT PANEL	1
I	TRUNDLE'S SIDE PANELS	2
J	TRUNDLE'S BACK PANEL	1
K	TRUNDLE'S BOTTOM PANEL 1	1
L	TRUNDLE'S BOTTOM PANEL 2	1
M	TRUNDLE'S BOTTOM SUPPORT FRAME	1



HARDWARE LIST		
ID	DESCRIPTION	QTY
N	ALLEN KEY	2
O	M6 x 20 BOLT	30
P	M6 x 35 BOLT	20
Q	M6 x 60 BOLT	10
R	M6 LOCK WASHER	60
S	M6 FLAT WASHER	60
T	SLATS' PLUGS	8

i





! Please ensure to put components on a flat and soft surface such as a cardboard or a rug.

1





! When assembling part (B), ensure that the end connecting to part (D) has insert nuts.






! Tighten the bolts 80%


2




3




4



5



6




! Adjust leveler as needed.

ASSEMBLE THE TRUNDLE

7





! Tighten the bolts 80%





8



! Tighten the bolts 80%




9




! Align the side panel flush under the back panel before tighten the bolts

N
R
P
S




! Tighten the bolts 80%



N
R
O
S




10



! Align the side panels flush with the front panel before tighten the bolts




! Tighten the bolts 80%





11



! Tighten All the bolts 100%




12



! For a longer product lifespan, when pulling or pushing the trundle, use both hands and guide it carefully to prevent it from hitting the legs.

13



- ! For a longer product lifespan, when pulling or pushing the trundle, use both hands and guide it carefully to prevent it from hitting the legs.