


# ARTICLE.

VERSION 1.1

## Assembly Instructions



# PORTIMA




Side Table





ASSEMBLY INSTRUCTIONS

Read these instructions carefully and keep for future reference. Refer to parts inventory for guidance, and ensure you have all pieces before starting.

When assembling, place all parts on a soft, clean, and flat surface such as a carpet to prevent scratches.

If you're having difficulty, our friendly Customer Care team is always here to help. Call us at **1.888.746.3455** during business hours, email **service@article.com** or chat live at **article.com**.

PARTS INVENTORY			
ID	DESCRIPTION		QTY
1	TABLE TOP		1
2	TABLE PILLAR		1
3	BASE		1

HARDWARE LIST			
ID	DESCRIPTION		QTY
A	M6 x 15 BOLT		4
B	M6 x 20 BOLT		2
C	ALLEN KEY WITH HEADBALL 4MM		1
D	Felt Pad Note: This is a spare part in case the felt pad has issues; you can use it as a replacement.		2



10 min

TIME








# OF PEOPLE




2

DIFFICULTY






Hardware may loosen over time, check the bolts regularly and tighten if necessary.



Please ensure products are laid on a smooth and soft surface while assembling in order to avoid unexpected scratches and dents.

1


Use Allen Key (C) to attach the Bolt (A), to Top (1)



⚠ Tighten all bolts 100%

2

Use Allen Key (C) to attach the Bolt (B), to Base (3)





⚠ Tighten all bolts 100%


3

In case the tabletop(1) and base(3) are not aligned, loosen the lever and adjust the tabletop(1) to align with the base(3).

Then tighten the lever again



Loosen the lever  
and adjust



Tighten to fix

! Adjust table with lever from 19" to 26.5".

