
ARTICLE.

VERSION 1

Assembly Instructions



MENKEN


Chandelier

ASSEMBLY INSTRUCTIONS


Read these instructions carefully and keep for future reference. Refer to parts inventory for guidance, and ensure you have all pieces before starting.

When assembling, place all parts on a soft, clean, and flat surface such as a carpet to prevent scratches.


If you're having di culty, our friendly Customer Care team is always here to help. Call us at 1.888.746.3455 during business hours, email service@article.com or chat live at article.com.




TIME



DIFFICULTY









OF PEOPLE



REQUIRED TOOL

! Consultation with a professional electrician is reccomended for the installation of this lamp.


PARTS INVENTORY		
ID	DESCRIPTION	QTY
A	WIRE NUT 	3
B	MOUNTING BRACKET IRON ROUND (PRE-INSTALLED) 	1
C	SHORT GREEN SCREW 8/32x8mm (PRE-INSTALLED) 	1
D	MOUNTING SCREWS 8/32x25mm 	2
E	KNOPY 	1
F	KNOB MOUNTING BRACKET IRON ROUND 	2
G	TUBE Ø12.7*152mm 	1
H	TUBE Ø12.7*305mm 	3
I	LAMP BODY 	1

PARTS INVENTORY		
ID	DESCRIPTION	QTY
J	SHADE 	5
K	BULBS 	5

1


CAUTION

Turn off power at main circuit pannel before starting installation.



! REMOVE knob ,mounting bracket


2



! Thread wires through mounting bracket iron round (B) before attaching to junction box.


3

! Match up wires by color and attach with wire nuts (A).
BLACK: Hot Fixture
WHITE: Neutral Fixture
GREEN OR BARE COPPER: Ground Wire




! If junction box does not have a green ground wire, attach ground wire from lamp to short green screw (C) on mountingbracket.

4




! .Rotate Knob(F) away arrow
.Make sure to Screw tightly

5




Attached the Knopy(E)+Middle tube(G&H)+ Lamp top(I) by Rotate the tube thread until all the segments are all attached to each other

6



! Rotate bulb(J) away arrow

7


! Attach the glass
Hold the cap and tube steel
rotate the Shade(J) in the
direction
of away arrow , do not over
tighten
to have more easy removal
J x5

8

